

**INFORMATION DISCLOSURE STATEMENT****IN AN APPLICATION**

(Use several sheets if necessary)

Docket Number:
12152.70USD1Application Number:
10/612,215

Applicant: UCKUN ET AL.

Filing Date: 07/02/2003

Group Art Unit: UNKNOWN

1653

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<i>DL</i>	5,883,121	03/16/1999	Yamashita et al.			
<i>DL</i>	6,605,589 B1	08/12/2003	Uckun et al.			

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
<i>DL</i>	WO 98/49190	11/05/1998	PCT				
<i>DL</i>	WO 01/44464	06/21/2001	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>DL</i>		Andreason G. (1993) Electroporation As a Technique for the Transfer of Macromolecules into Mammalian Cell Lines. <i>J. Tiss. Cult. Meth.</i> , 15, 56-62
<i>DL</i>	<i>DL</i>	Baldwin E, Bhat T, Gulnik S, Hosur M, Sowder II R, Cachau R, Collins J., Silva A. (1993). Crystal structures of native and inhibited forms of human cathepsin D: Implications for lysosomal targeting and drug design. <i>Proc. Natl. Acad. Sci.</i> , 90: 6796-6800
<i>DL</i>		Blandino GB, Levine AJ, Oren M (1999). Mutant p53 gain of function: differential effects of different p53 mutants on resistance of cultured cells to chemotherapy. <i>Oncogene</i> 18: 477-485.
<i>DL</i>		Brimmell M, Mendiola R, Mangion J, Packham G (1998). BAX frameshift mutations in cell lines derived from human haemopoietic malignancies are associated with resistance to apoptosis and microsatellite instability. <i>Oncogene</i> 16: 1803-1812.
<i>DL</i>	<i>DL</i>	Chisholm V.. (1995). High efficiency gene transfer into mammalian cells. <i>DNA Cloning IV: A Practical Approach</i> , Mammalian Systems, Glover and Hanes, eds., pp 1-41
<i>DL</i>		Chow SC, Weiss M, Kass GE, Holmstrom TH, Eriksson JE, Orrenius S (1995). Involvement of multiple proteases during Fas-mediated apoptosis in T lymphocytes. <i>FEBS Lett</i> 364: 134-138.
<i>DL</i>		Cordone I, Masi S, Mauro FR, Soddu S, Morsilli O, Valentini T, Vegna ML, Guglielmi C, Mancini F, Guiliacci S, Sacchi A, Mandelli F, Foa R (1998). p53 Expressions in B-cell chronic lymphocytic leukemia: a marker of disease progression and poor prognosis. <i>Blood</i> 91: 4342-4349.
<i>DL</i>		Demuth HU, Schierhorn A, Bryan P, Hofke R, Kirschke H, and Bromme D (1996). N-peptidyl, O-acyl hydroxamates: comparison of the selective inhibition of serine and cysteine proteinases. <i>Biochim Biophys Acta</i> 1295: 179-186.
<i>DL</i>	<i>DL</i>	Doman RK, Perez M, Donato NJ (1999). JNK and p53 stress signaling cascades are altered in MCF-7 cells resistant to tumor necrosis factor-mediated apoptosis. <i>J. Interferon Cytokine Res</i> 19: 261 - 269.
<i>DL</i>		Duffy MJ (1992). The role of proteolytic enzymes in cancer invasion and metastasis. <i>Clin Exp Metastasis</i> 10: 145-155.

EXAMINER <i>David L. Lickon</i>	DATE CONSIDERED <i>6-22-05</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Date Mailed: OCTOBER 2, 2003

Sheet 2 of 4

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 12152.70USD1	Application Number: 10/612,215
	Applicant: UCKUN ET AL.	
	Filing Date: 07/02/2003	Group Art Unit: UNKNOWN

OK		Fearnhead HO, Dinsdale D, Cohen GM (1995). An interleukin-1 beta-converting enzyme-like protease is a common mediator of apoptosis in thymocytes. <i>FEBS Lett</i> 375: 283-288.
OK		Friedrich B, Jung K, Lein M, Turk I, Rudolph B, Mampel G, Schnorr D, and Loening SA (1999). Cathepsin B, H, L and cysteine protease inhibitors in malignant prostate cell lines, primary cultured prostatic cells and prostatic tissue. <i>Eur J Cancer</i> 35: 138-144.
OK		Garcia-Calvo M, Peterson EP, Leiting B, Ruel R, Nicholson DW, Thornberry NA (1998). Inhibition of human caspases by peptide-based and macromolecular inhibitors. <i>J Biol Chem</i> 273: 32608-32613.
OK		Graham F, Van Der Eb A (1973). A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA. <i>Virology</i> , 52, 456-457
OK	OK	Graham F, Prevec L, (1991). Manipulation of Adenovirus Vectors. <i>Gene Transfer and Expression Protocols</i> , pp 109-128,
OK		Green DR, Reed JC (1998). Mitochondria and apoptosis. <i>Science</i> 281: 1309-1312.
OK		Gutiérrez MI, Cherney B, Hussain A, Mostowski H, Tosato G, Magrath I, Bhatia K (1999). Bax is frequently compromised in Burkitt's lymphomas with irreversible resistance to Fas-induced apoptosis. <i>Cancer Res</i> 59: 696-703.
OK		Heidtmann HH, Salge U, Abrahamson M, Bencina M, Kastalic L, Kopitar-Jerala N, Turk V, and Lah TT (1997). Cathepsin B and cysteine protease inhibitors in human lung cancer cell lines. <i>Clin Exp Metastasis</i> 15: 368-381.
OK		Henkart PA (1996). ICE family protease: mediators of all apoptotic death? <i>Immunity</i> 4: 195-201.
OK		Isahara K, Ohsawa Y, Kanamori S, Shibata M, Waguri S, Sato N, Gotow T, Watanabe T, Momoi T, Urase K, Kominami E, and Uchiyama Y (1999). Regulation of a novel pathway for cell death by lysosomal aspartic and cysteine proteases. <i>Neuroscience</i> 91: 233-249.
OK		Jones B, Roberts PJ, Faubion WA, Kominami E, and Gores GJ (1998). Cystatin A expression reduces bile salt - induced apoptosis in a rat hepatoma cell line. <i>Am J Physiol</i> 275: G723-730.
	OK	Kao F, Puck T. (1968). Genetics of Somatic Mammalian Cells, VII. Induction and Isolation of Nutritional Mutants in Chinese Hamster Cells. <i>Proc. Natl. Acad. Sci. USA</i> , 60, 1275-1281
OK		Keppler D, Sameni M, Moin K, Mikkelsen T, Diglio C, and Sloane B (1996). Tumor progression and angiogenesis: cathepsin B & Co. <i>Biochem Cell Biol</i> 74: 799-810.
	OK	Keyszer G, Heer A, Kriegsmann J, Geiler T, Trabandt A, Keysser M, Gay R, Gay S, (1995). Comparative Analysis of Cathepsin L, Cathepsin D, and Collagenase Messenger RNA Expression in Synovial Tissues of patients with rheumatoid arthritis and osteoarthritis, by in Situ Hybridization. <i>Arthritis Rheum.</i> , 38: 976-984
OK		Kos J. and Lah TT (1998). Cysteine proteinase and their endogenous inhibitors: Target proteins for prognosis, diagnosis and therapy in cancer (Review). <i>Oncol Rep</i> 5: 1349-1361.
X	X	Kruegel S., Haackel C., Buchling F., and Roessler A. (1999) Inhibitory Effects of Antisense Cathepsin B and DNA Transfection on Invasion and Motility in a Human Osteosarcoma Cell Line". <i>Cancer Research</i> , 59: 6010-6014.
OK		Leto, G. et al., "Effects of E-64 (Cysteine-Proteinase Inhibitor) and Pepstatin (Aspartyl-Proteinase Inhibitor) on Metastasis Formation in Mice with Mammary and Ovarian Tumors," <i>In Vivo</i> , Vol. 8, pp. 231-236 (1994)

EXAMINER <i>David Ruben</i>	DATE CONSIDERED <i>6-22-05</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Date Mailed: OCTOBER 2, 2003

Sheet 3 of 4

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 12152.70USDI	Application Number: 10/612,215
	Applicant: UCKUN ET AL.	
	Filing Date: 07/02/2003	Group Art Unit: UNKNOWN

	Li P, Nijhawan D, Budihardjo I, Srinivasula SM, Ahmad M, Alnemri E, Wang X (1997). Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. <i>Cell</i> 91: 479-489.
	Lowe SW, Ruley HE, Jacks T, Housman DE (1993). p53-dependent apoptosis modulates the cytotoxicity of anticancer agents. <i>Cell</i> 74: 957-967.
	Lowe SW, Schmitt EM, Smith SW, Osborne BA, Jacks T (1993b). p53 is required for radiation-induced apoptosis in mouse thymocytes. <i>Nature</i> 362: 847-849.
	Magi-Galluzzi C, Montironi R, Cangi MG, Wishnow K, Loda M (1998). Mitogen-activated protein kinases and apoptosis in PIN. <i>Virchows Arch</i> 432: 407-413.
	Makarewicz R, Drewa G, Szymanski W, and Skonieczna-Makarewicz I (1995). Cathepsin B in predicting the extent of the cervix carcinoma. <i>Neoplasma</i> 42: 21-24.
	Meijerink JP, Mensink EJ, Wang K, Sedlak TW, Sloetjes AW, de Witte T, Waksman G, Korsmeyer SJ (1998). Hematopoietic malignancies demonstrate loss-of-function mutations of BAX. <i>Blood</i> 91: 2991 - 2997.
	Memon SA, Moreno MB, Petrak D, Zacharchuk CM (1995). Bcl-2 blocks glucocorticoid - but not as Fas - or activation- induced apoptosis in a T cell hybridoma. <i>J Immunol</i> 155: 4644-4652.
	Mizuochi T, Yee S-T, Kasai M, Kakiuchi T, Muno D, Kominami E (1994). Both cathepsin B and cathepsin D are necessary for processing of ovalbumin as well as for degradation of class II MHC invariant chain. <i>Immunol. Lett.</i> , 43: 189-193
	Myers D, Jun X, Waddick K, Forsyth C, Chelstrom L, Gunther R, Tumer N, Bolen J, Uckun F. (1995). Membrane-associated CD19-LYN complex is an endogenous p53-independent and Bcl-2-independent regulator of apoptosis in human B-lineage lymphoma cells. <i>Proc. Natl. Acad. Sci. USA</i> , 92: 9575-9579
	Mort JS, and Buttle DJ. Cathepsin B (1997). <i>Int J Biochem Cell Biol</i> 29: 715-720.
	Peller S (1998). Clinical implications of p53: effect on prognosis, tumor progression and chemotherapy response. <i>Cancer Biol.</i> 8: 379-387.
	Pronk GJ, Ramer K, Amiri P, Williams LT (1996). Requirement of an ICE-like protease for induction of apoptosis and ceramide generation by REAPER. <i>Science</i> 271: 808-810.
	Roberts LR, Kurosawa H, Bronk SF, Fesmier PJ, Agellon LB, Leung W-Y, Mao F, and Gores GJ (1997). <i>Gastroenterology</i> 113: 1714-1726.
	Rooprai HK, and McCormick D (1997). Proteases and their inhibitors in human brain tumors: a review. <i>Anticancer Res</i> 17: 4151-4162.
	Sameni M, Elliott E, Ziegler G, Fortgens PH, Dennison C and Sloane BF (1995). Cathepsin B and cathepsin D are localized at the surface of human breast cancer cells. <i>Pathol Oncol Res</i> 1: 43-53.
	Schlegel J, Peters I, Orrenius S, Miller DK, Thornberry NA, Yamin TT, Nicholson DW (1996). CPP32/apopain is a key interleukin 1 beta converting enzyme-like protease involved in Fas-mediated apoptosis. <i>J Biol Chem</i> 271: 1841-1844.
	Shibata M, Kanamori S, Isahara K, Ohsawa Y, Konishi A, Kametaka S, Watanabe T, Ebisu S, Ishido K, Kominami E, and Uchiyama Y (1998). Participation of cathepsins B and D in apoptosis of PC12 cells following serum deprivation. <i>Biochem Biophys Res Commun</i> 251: 199-203.

EXAMINER

DATE CONSIDERED

6-22-05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449*

INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

12152.70USD1

Application Number:

10/612,215

Applicant: UCKUN ET AL.

Filing Date: 07/02/2003

Group Art Unit: UNKNOWN

	<i>DL</i>	Sivaparthi et al., "Expression of cathepsin D during the progression of human gliomas," <i>Neurosci Lett.</i> , Vol. 208, pp. 171-174 (1996)
<i>DL</i>		Slee EA, Zhu H, Chow SC, MacFarlane M, Nicholson DW, Cohen GM (1996). Benzyloxycarbonyl-Val-Ala-Asp (OMe) fluoromethylketone (Z-VAD.FMK) inhibits apoptosis by blocking the processing of CPP32. <i>Biochem J</i> 315: 21-24.
<i>DL</i>		Sloane BF, Moin F, Sameni M, Tait LR, Rozhin J, and Ziegler G (1994). Membrane-association of cathepsin B can be induced by transfection of human breast cells with c-Ha-ras oncogene. <i>J Cell Sci</i> 107: 373-384.
	<i>DL</i>	Soderstrom, K-O. et al., "Expression of Acid Cysteine Proteinase Inhibitor (ACPI) in the Normal Human Prostate, Benign Prostatic Hyperplasia and Adenocarcinoma," <i>In. J. Cancer</i> , Vol. 62, pp. 1-4 (1995)
<i>DL</i>		Strohmaier AR, Porwol T, Acker H, and Spiess E (1997). Tomography of cells by confocal laser scanning microscopy and computer-assisted three-dimensional image reconstruction: localization of cathepsin B in tumor cells penetrating collagen gels in vitro. <i>J Histochem Cytochem</i> 45: 975-983.
	<i>DL</i>	Summers M, Smith G (1987). A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures. <i>Texas Agriculture Experiment Station Bulletin</i> , 1555
<i>DL</i>		Thornberry NA, Lazebnik Y (1998). Caspases: enemies within. <i>Science</i> 281: 1312-1316.
<i>DL</i>		Uckun FM, Waddick KG, Mahajan S, Xiao J, Takata M, Bolen J, Kurosaki T (1996). BTK is a mediator of radiation-induced apoptosis in DT-40 lymphoma B cells. <i>Science</i> 273: 1096-1100.
<i>DL</i>		Vasilakos JP, Ghayur T, Carroll RT, Giegel DA, Saunders JM, Quintal L, Keane KM, Shivers BD (1995). IL-1 beta converting enzyme (ICE) is not required for apoptosis induced by lymphokine deprivation in an IL-2 dependent T cell line. <i>J Immunol</i> 155(7): 3433-3442.
<i>DL</i>	<i>DL</i>	Weiss RE, Liu BC, Ahlering T, and Dubeau MJ (1990). Mechanism of human bladder tumor invasion: role of protease cathepsin B. <i>J Urol</i> 144: 798-804.
	<i>DL</i>	Wyllie A, Kerr J, Currie A (1980) Cell Death: The Significance of Apoptosis. <i>Int. Rev. Cytol.</i> , 68: 251-306
<i>DL</i>		Xia Z, Dickens M, Raingeaud J, Davis RJ, Greenberg ME (1995). Opposing effects of ERK and JNK-p38 MAP kinases on apoptosis. <i>Science</i> 270: 1326-1331.
	<i>DL</i>	Xing, R. et al., "Control of Breast Tumor Cell Growth Using a Targeted Cysteine Protease Inhibitor," <i>Cancer Res.</i> , Vol. 58, pp. 904-909 (1998)
<i>DL</i>		Yan S, Sameni M. and Sloane BF (1998). Cathepsin B and human tumor progression. <i>Biol Chem</i> 379: 113-123.
<i>DL</i>		Zhu D-M, Fang W-H, Nara R-K, and Uckun FM (1999). A requirement for protein kinase C inhibition for calcium-triggered apoptosis in Acute lymphoblastic leukemia cells. <i>Clin Can Res</i> 5: 355-360.
<i>DL</i>		Zhu, D.-M. and Uckun, F.M. (2000) "Z-Phe-Gly-NHO-Bz, an Inhibitor of Cysteine Cathepsins, Induces Apoptosis in Human Cancer Cells". <i>Clinical Cancer Research</i> , 6:2064-2069.
<i>DL</i>		Zhu, D.-M. and Uckun, F.M. (2000) "Cathepsin Inhibition Induces Apoptotic Death in Human Leukemia and Lymphoma Cells". <i>Leukemia and Lymphoma</i> , 39:343-354.
	<i>DL</i>	Zuo H, Henzel WJ, Liu X, Lutschg A, Wang X (1997). Apaf-1, a human protein homologous to C. elegans CED-4, participates in cytochrome c-dependent activation of caspase-3. <i>Cell</i> 90: 405-413.

EXAMINER

David L. Uckun

DATE CONSIDERED

6-22-05

23552

PATENT TRADEMARK OFFICE

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.